



viewleisure™

TLWGLOBAL.COM

ALICANTO

BAILEY

TLW

WHEN LIGHT BECOMES ART

Intelligent Lighting Innovations

TLW is part of a vibrant family owned and run business which was established over 50 years ago. Since 1996 it has progressed into a leading manufacturer and supplier of innovative LED lighting which is distributed to the trade.

After in depth research, specific attention, planning and development, we are proud to present our high quality lighting solutions for the caravan, motorhome and leisure sectors. We have discussed lighting with designers throughout the leisure industry at great length and we are confident that the products we offer are the best available.

Many market-leading brands are now illuminated by our products across the world and our current client base includes some of the largest UK and European manufacturers. If you're not already working with us, a warm welcome awaits and we'd love you to be a part of our continued success.

See us in a different light

The VEW branding is all about simplicity and ease of use because that's a big part of what we do. It's simple to buy from us because we always provide the best possible products regardless of your choice.

It's also easy to get your hands on your purchases because we can deliver to any schedule. Creating the perfect ambiance in a space is extremely straightforward thanks to our in-depth understanding of our product range and our love for lighting.

When you purchase from us you'll receive the best products that money can buy.

Guarantee

All of our products comes with a minimum 2 year guarantee.

For more information please contact us on +44 (0)1302 741941



viewleisure™

TLW



VIEW LIGHTING

veWcustom™

YOUR LIGHTING, YOUR WAY

A one stop supply for your lighting requirements. This saves you the hassle of procuring lighting components from multiple suppliers.

Pre-assembled products, meaning:


- LED strip and profile is supplied as built up units, saving you preparation and installation time
- Product wastage and damages are eliminated/significantly reduced
- Supplied in kit format per layout, fully labelled and with LED drivers, making it hassle free and easy for the installation teams

Flexible delivery options:

- Cut down on your stock holding/inventory
- Ability to deliver to a predetermined call off schedule
- Direct to site deliveries available if required



1. Select your LED tape and profile



2. Send us your plans and specifications



3. We will provide a competitive quote for kit format or individual lengths

VEWcustom can provide the LED lighting solutions you need quickly and easily tailor made for your business's needs and requirements. Please contact our team of specialists.





Build your own
light for the
perfect **VIEW**


1. Choose your style




2. Choose your base



3. Choose your finish



4. Choose your switch



Use our colour-coded icons to assist in making sure you are selecting compatible items for the area you wish to install a product. Please feel free to discuss by calling the team on +44(0)1302 741941

Please use our colour coded symbols to assist in making sure you are selecting compatible items which are suitable for each area they are being installed. Please feel free to discuss by calling the team on +44(0)1302 741941



A caravan or motorhome interior presents a challenging environment for adhesives to work effectively. With vast fluctuations in temperature, combined with the movement of cabinetry, the adhesive on most LED tape products will often fail. At TLW, we have done extensive research to find the best adhesive backing for our LED tape products.

3M VHB is a pressure sensitive adhesive tape which is suitable for use on a wide variety of surfaces and is durable even in changing temperatures. Many of our clients have proven the benefit of this robust adhesive solution and enjoy the peace of mind its longevity brings. TLW use 3M VHB as standard on all its LED tape products.

TLW products are tested and rated at 9-16V. This means that all our products can effectively tolerate voltage fluctuations that occur when leisure batteries are being charged. Products that are rated at a fixed 12V are likely to have an inferior lifespan and performance in a leisure vehicle environment.

Ordering

Here at TLW we are making ordering even easier.

Here is an example of a VEW product: Galaxy Cabinet Light.

The * at the end of the product code indicates that you have options. These are listed below the product code and are broken down into steps. In this example, STEP 1 asks you to select the finish, then STEP 2 shows the available colour temperatures. Simply take the product code and add the letters from the options you require to create the product code you will need for ordering.

For example:

K01-0100PCNW = Finished in Polished Chrome with Natural White colour LED.


K01-0100SSD = Finished in Stainless Steel with Daylight colour LED.

Galaxy

IP44 LED Cabinet Light 2.6w

K01-0100*


***STEP 1**
Select Finish




***STEP 2**
Select Colour Temp



KEY: Warm White (WW) | Natural White (NW) | Daylight (D) | Stainless Steel (SS) | Polished Chrome (PC)



The image shows the interior of a motorhome, split into two contrasting lighting environments by a diagonal line. The left side is dimly lit, highlighting the wood-grain cabinetry and a dark blue and grey sofa. The right side is brightly lit, showing a kitchen area with a stove, oven, and sink, and a lighter-colored sofa. The ceiling features recessed lighting and a circular light fixture.

LEISURE LIGHTING

SPOT AND CABINET

Beam Tilt

LED Tilt Recessed Downlight




Code: K00-0033*

■ **Tiltable**


- 1.7w
- Up to 150 lumens
- Size: 65mm diameter
- Recess mounted
- Touch switch
- Diffused lens
- Weight: 37g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish



Disc Touch

LED Touch Switch Cabinet Light



Code: K00-0130TD*

■ **Touch activated**

- 1.2w
- Up to 120 lumens
- Size: 65mm diameter
- Recess mounted
- Diffused lens
- Weight: 37g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish



Disc LED Cabinet Light



K01-0101

Code: K00-00130*

- Not suitable for use in bathrooms
- 2w
- Up to 125 lumens
- Size: 65mm diameter
- Surface or recess mounting
- SMD LED - Surface Mounted Diode
- Diffused lens
- Weight: 31g, including spacer: 56g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish



Revel IP44 LED Cabinet Light



K01-0101

Code: K01-0100S*

- Higher lumen output
- 2.6w
- Up to 187 lumens
- Size: 65mm diameter
- Surface or recess mounting
- COB LED - Chip On Board no visible diode
- IP44 when recessed
- Weight: 33g, including spacer: 58g
- Cable as required - standard is 30cm with 6.3mm spade connectors



KONEX
SYSTEM Simple plug in connection



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish



Deck LED Light Polished Chrome



Code: K00-0019*

- 0.3w
- Up to 30 lumens
- Size: D17 x H15mm
- Recess mounted
- Weight: 6.6g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW NW D

Stage IP65 LED Spotlight



Code: K00-0021*

- Suitable for use in bathrooms
- 0.4w
- Up to 40 lumens
- Size: 30mm diameter
- Recess mounted
- Frosted lens
- IP65
- Weight: 13g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW NW BL

***STEP 2**
Select Finish

PC MB* *With NW only

Orbit Orbit Cabinet Light



Code: K00-0091*

- 1.5w
- Size: 35mm
- Recess mounted
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW NW D

***STEP 2**
Select Finish

PC SS

LEISURE LIGHTING

LOCKER



Nano LED Cylinder Locker Spotlight



Code: K00-1000*

- 3w
- Up to 100 lumens
- Size: H60 x W30mm, base: W50 x D15mm
- Rocker/push switch options
- Surface mounted
- Weight: 112g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW NW

***STEP 2**
Select Finish

PC SS* *With NW only

Nano USB LED Cylinder Locker Spotlight with USB Socket



Code: K00-1000U*

- 3w
- Up to 100 lumens
- USB - 5v 2Amp
- Size: H60 x W30mm, base: W50 x D15mm
- Rocker/push switch options
- Surface mounted
- Weight: 112g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW NW

***STEP 2**
Select Finish

PC SS* *With WW only MB* *With NW only



Nano USB Touch

LED Cylinder Locker Spotlight with USB Socket



Code: K00-1001*

- Touch activated
- 3w
- Up to 100 lumens
- Size: H60 x W30mm, base: W50 x D15mm
- USB - 5v 2Amp
- Rocker/push switch options
- Surface mounted
- Weight: 112g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

WW

NW

***STEP 2**
Select Finish

PC

Stack

LED Magnetic Door Sensor Light




Code: K00-0140*

- 0.5w
- 50 lumens
- Size: W40 x H20mm
- Silver finish
- 6000K daylight LED lamp
- Magnetic door contact
- Weight: 15g
- Complete with 150cm lead and 6.3mm spade connectors



Select Colour Temp

D

The image shows the interior of a yacht cabin, split into two contrasting lighting scenarios by a diagonal white line. The left side is dimly lit, highlighting the ambient lighting in the ceiling and wall panels. The right side is brightly lit, showcasing the natural light from a large window and the warm tones of the wood-paneled walls and ceiling. The cabin features a grey sofa on the left, a wooden vanity with a mirror, a bed with a patterned throw, and a light-colored sofa on the right. The ceiling has recessed lighting and a long, narrow light fixture. The walls are finished with vertical wood grain panels.

LEISURE LIGHTING

WALL AND CEILING

Bunk Light

LED Light with USB and Touch Switch



Code: K00-0110UPCNW

- 2w
- Upto 100 lumens
- Base size: W60 xD20mm
- 450mm flexi stalk
- Polished chrome
- Dimmable touch switch



Select Colour Temp

NW

Soft Touch Bunk Light

LED Light with Flexible Arm and 2 USB Ports



Code: K00-0112UMBWW

- 2.1w
- Base size: W58 xD21mm
- 450mm flexi stalk
- Two built in USB ports 1x USB-A, 1x USB-C
- Black finish



Select Colour Temp

WW

Apollo

Low Profile Single Ceiling Light - Switched



Code: K00-0040*

- 3w
- 210 lumens
- Size: L127 x W116 x D27mm
- Surface mounted
- Weight: 105g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

ww

Apollo Double

Low Profile Double Ceiling Light - Switched



Code: K00-0041*

- 6w
- 420 lumens
- Size: L227 x W116 x D27mm
- Surface mounted
- Weight: 175g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

ww

Rise

LED Curved Single Light



Code: K00-0070*

- 4w
- Up to 250 lumens
- Size: L146 x W120 x D25mm
- Surface mounted
- Opal diffused lens
- Rocker switch
- Silver base
- Weight: 120g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

WW

NW

Rise Double

LED Curved Twin Light



Code: K00-0071*

- 2x4w
- Up to 550 lumens
- Size: L260 x W120 x D25mm
- Surface mounted
- Opal diffused lens
- Rocker switch
- Silver base
- Weight: 205g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

WW

NW

Grand

Low Profile Single Ceiling Light - Switched



Code: K00-0072*

- 7w
- Up to 500 lumens
- Size: L150 x W95 x D25mm
- Diffused lens
- Easy installation
- Built in on/off switch
- Weight 82g



Select Colour Temp

WW

NW

Grand PIR

Low Profile Single Ceiling Light with PIR - Switched



Code: K00-0073*

- 7w
- Up to 500 lumens
- Size: L150 x W95 x D25mm
- Diffused lens
- Easy installation
- Built in on/off switch with PIR sensor
- Weight 82g



Select Colour Temp

WW

NW

Tablet

Super Slim Ceiling Light - 90mm



Code: K00-0044*

- 3w
- Up to 240 lumens
- Size: W90 x D15mm
- Surface mounted
- Weight: 43.5g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

WW

NW

Tablet +

Super Slim Ceiling Light - 110mm



Code: K00-0045*

- 4w
- Up to 360 lumens
- Size: W110 x D15mm
- Surface mounted
- Weight: 72.5g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

WW

NW

Iris

IP44 LED Ceiling Light - Switched



Code: K00-0046*

- 4w
- Up to 280 lumens
- Size: W125 x D35mm
- Surface mounted
- Weight: 149g
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

WW

NW

Quad

LED Up/Down Cube Light



Code: K00-0010*

- 2 x 1w
- Up to 100 lumens
- Up/down spotlight
- Size: L45 x W45 x D45mm
- Weight: 205g



Select Colour Temp

WW

NW

Slim Square

LED Square Panel Light 3w



Code: K01-0190*

- Super thin diffused light
- 3w
- 3000K - 140 lumens
- 4000K - 150 lumens
- Surface mounted with 3M VHB adhesive pads
- White surround
- 2m power lead with micro connector
- Dimensions: L100 x W100 x D5mm



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish




Slim Rectangle

LED Rectangle Panel Light 6w



Code: K01-0191*

- Super thin diffused light
- 6w
- 3000K - 280 lumens
- 4000K - 300 lumens
- Surface mounted with 3M VHB adhesive pads
- White surround
- 2m power lead with micro connector
- Dimensions: L200 x W100 x D5mm



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish





Bay 6w LED Ceiling Light 6w Round



Code: K00-0062*

- No visible LEDs
- 6w
- Up to 420 lumens
- Size: W125 x D13mm
- Switched
- Surface mounted
- White bezel
- Cable as required - standard is 30cm with 6.3mm spade connectors



Select Colour Temp

ww

Cent

LED Halo Light with Push Button



Code: K00-0004*

- Great for use as a bunk light
- 1.5w
- Up to 100 lumens
- Size: W73 x D10mm
- Surface mounted - hidden fixtures
- Available with white or silver bezel
- Dimmable version available with touch switch (Non-IP rated)
- Weight: 51g
- Cable as required - standard is 30cm with 6.3mm spade connectors



***STEP 1**
Select Colour Temp

NW

***STEP 2**
Select Finish

SL BK

Halo

IP44 LED Halo Light



Code: K00-0005*

- Super thin diffused light
- 6w
- 3000K - 280 lumens
- 4000K - 300 lumens
- Surface mounted with 3M VHB adhesive pads
- White surround
- 2m power lead with micro connector
- Dimensions: L200 x W100 x D5mm
- Optional - PIR version



***STEP 1**
Select Colour Temp

WW NW

***STEP 2**
Select Finish

WH

Dot

LED Halo Light with Touch Dimmer and Night Light



Code: K00-0007*

- Great for use as a ceiling light
- Touch dimmable
- 7w
- Up to 350 lumens
- Size: W120 x D10mm
- Surface mounted - hidden fixtures
- White or silver bezel
- Weight: 104g
- Cable as required - standard is 30cm with 6.3mm spade connectors




***STEP 1**
Select Colour Temp

WW

***STEP 2**
Select Finish


WH

The image is a split-view photograph of a motorhome interior. The left side is in shadow, showing a bed with a grey quilted pillow and a window with closed blinds. The right side is brightly lit, showing a kitchen area with wooden cabinets, a sink, and a bed with white linens and two patterned pillows. A diagonal white line separates the two scenes.



LEISURE LIGHTING

ALUMINIUM PROFILES

Slim Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1000*-2M (Profile Only)

- Discreet lighting solution
- Perfect for use to create feature lighting
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits, 1m (K01-1000-1MKIT) or 2m (K01-1000-2MKIT) - AL only




*Select Finish

WH



BK

AL

Display Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1065*-2M
(Profile Only)

- Two angles of light options
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- 1m or 2m profile kits - please enquire



*Select
Finish

WH

BK

AL

YOU WILL ALSO NEED

End Caps

K01-1001*
*Finishes: Grey (GR),
Black (BK), White (WH)

Profile Cover Slide

K01-1080*-2M
*Finishes: Clear (CL),
Frosted (FR), Opal (OP)

Mounting Plates

K01-1091B

YOU WILL ALSO NEED

End Caps

K01-1066*
*Finishes:
Grey (GR)



Profile Cover Slide

K01-1082*-2M
*Finishes:
Clear (CL),
Frosted (FR),
Opal (OP)

Back Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1015*-2M (Profile Only)

- **Great feature lighting**
- **Two options for tape placement creating different lighting effects**
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- 1m or 2m profile kits - please enquire




*Select Finish



Surface Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1050*-2M (Profile Only)

- **Great for under cabinet lighting to illuminate work surfaces**
- **Robust hidden clips**
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits:
AL 1M - K01-1050-1MKIT, 2M - K01-1050-2MKIT



*Select Finish



ASK
ABOUT OUR
BESPOKE SERVICE

YOU WILL ALSO NEED

End Caps
K01-1016*
*Finishes: Grey (GR),
Black (BK), White (WH)

Profile Cover Slide
K01-1080*-2M
*Finishes: Clear (CL),
Frosted (FR), Opal (OP)

Mounting/Joining Plates
K01-1092
K01-1094
K01-1093

YOU WILL ALSO NEED

End Caps
K01-1051*
*Finishes: Grey (GR),
Black (BK), White (WH)

Profile Cover Slide
K01-1082*-2M
*Finishes: Clear (CL),
Frosted (FR), Opal (OP)



Profile Cover Click
K01-10850P-2M
Finish: Opal (OP),

Mounting Plates
K01-1090

Smart Surface Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1035*-2M (Profile Only)

- **Dotless lighting when used with 9.6w tape creating a continuous light source**
- **Great for use with highly reflective floors or work surfaces**
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits, AL 1M - K01-1035K1OP-WR, 2M - K01-1035K2OP-WR, 3M - K01-1035K3OP-WR
BK 1M - K01-1035BKK1OP-WR, 2M - K01-1035BK-2OP-WR, 3M - K01-1035BKK3OP-WR



*Select Finish

WH


BK

AL

Smart Recessed Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1037*-2M (Profile Only)

- **Dotless lighting when used with 9.6w tape**
- **Illuminate inside wardrobes and other cabinets**
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits:
AL 1M - K01-1037K1OP-WR, 2M - K01-1037K2OP-WR



*Select Finish

WH

BK

AL

ASK
ABOUT OUR
BESPOKE SERVICE

YOU WILL ALSO NEED

End Caps

K01-1038*

*Finishes: Grey (GR),
Black (BK), White (WH)

Profile Cover Slide

K01-1080*-2M


*Finishes: Clear (CL),
Frosted (FR), Opal (OP)

Mounting Plates


K01-1091B



Recessed Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1055*-2M (Profile Only)

- Works well when used inside cabinets, particularly inside wardrobes
- Robust hidden clips
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits:
AL 1M - K01-1055-1MKIT, 2M - K01-1055-2MKIT



*Select Finish

WH


BK

AL

Corner Aluminium Profile - 2m



Aluminium (AL)



Code: K01-1060*-2M (Profile Only)

- Great for illuminating kitchen work surfaces
- Two lighting angles available, dependent on fixing position
- Can be cut to any length up to 2m - please enquire
- Can be butt jointed for longer runs
- Suitable for bathrooms when used with IP rated tapes
- Available in profile kits:
AL 1M - K01-1060K10P-WR,
2M - K01-1060K20P-WR,
3M - K01-1060K30P-WR
BK 1M - K01-1060BKK10P-WR,
2M - K01-1060BKK20P-WR,
3M - K01-1060BKK30P-WR



*Select Finish

WH

BK

AL

YOU WILL ALSO NEED

End Caps

K01-1061*
*Finishes: Grey (GR),
Black (BK), White (WH)

Profile Cover Slide


K01-1082*-2M
*Finishes: Clear (CL),
Frosted (FR), Opal (OP)

Profile Cover Click

K01-10850P-2M
Finish: Opal (OP),

Mounting Plates

K01-1090

The image shows the interior of a boat cabin with wood-paneled walls and ceiling. On the left, there is a built-in kitchen unit with a sink and several glassware holders. The floor is covered with grey carpeting. A white diagonal line runs from the top right towards the bottom center, separating the image into two parts. In the background, a bed or seating area is visible, illuminated by a warm white LED light strip. A circular porthole is located on the lower part of the wall.

LEISURE LIGHTING


LED TAPE AND ACCESSORIES

Haze

LED Tape 4.8w 480 LEDs Per Metre

Code: K30-6729*

- Great for ambient lighting
- 4.8w 480 LEDs per metre
- 3000K - 336 lumens per metre
- 4000K - 360 lumens per metre
- Cutable every 25mm
- Roll length: 1, 2, 3, 4, 5m
- CRI>90
- Dimensions: W8 x D2mm



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Haze+

LED Tape 9.6w 480 LEDs Per Metre

Code: K30-6730*

- Great for task lighting
- 9.6w 480 LEDs per metre
- 3000K - 672 lumens per metre
- 4000K - 720 lumens per metre
- Cutable every 25mm
- Roll length: 1, 2, 3, 4, 5m
- CRI>90
- Dimensions: W8 x D2mm



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Callo

LED Tape 4.8w 60 LEDs Per Metre

Code: K30-5720*

- Great for ambient lighting
- 4.8w 60 LEDs per metre
- 3000K - 385 lumens per metre
- 4000K - 430 lumens per metre
- 6000K - 440 lumens per metre
- Cutable every 50mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

D

For all control options please see pages 46-53

Bon

LED Tape 9.6w 120 LEDs Per Metre

Code: K30-5730*

- Great for task lighting
- 9.6w 120 LEDs per metre
- 3000K - 760 lumens per metre
- 4000K - 865 lumens per metre
- 6000K - 870 lumens per metre
- Cutable every 25mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

D

For all control options please see pages 46-53

Side

LED Side Emitting Tape 4.8w 60 LEDs Per Metre



Code: K30-5770*

- Edge lit LED tape
- 4.8w 60 LEDs per metre
- 3000K - 305 lumens per metre
- 4000K - 320 lumens per metre
- Cuttable every 50mm
- Roll length: 5m
- CRI>80
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Side +

LED Side Emitting Tape 9.6w 120 LEDs Per Metre



Code: K30-5780*

- Edge lit LED tape
- Great for use on curves, radiuses and 90° angles
- 9.6w 120 LEDs per metre
- 3000K - 615 lumens per metre
- 4000K - 672 lumens per metre
- Cuttable every 25mm
- Roll length: 5m
- CRI>80
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Beamer

LED Tape 24w 300 LEDs Per Metre



Code: K30-5762*

- Super bright
- 24w 300 LEDs per metre
- 3000K - 1800 lumens per metre
- 4000K - 1920 lumens per metre
- Cuttable every 10mm
- Roll length: 5m
- CRI>90-95
- Must be mounted on aluminium extrusion
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W10 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW


NW

For all control options please see pages 46-53



Haze IP

IP65 LED Tape 4.8w 480 LEDs Per Metre



Code: K30-1275*

- Great for ambient lighting
- 4.8w 480 LEDs per metre
- 3000K - 336 lumens per metre
- 4000K - 360 lumens per metre
- Cuttable every 25mm
- Roll length: 1, 2, 3, 4, 5m
- CRI>90
- Dimensions: W8 x D4mm



*Select Colour Temp


WW

NW

For all control options please see pages 46-53

Haze+ IP

IP65 LED Tape 9.6w 480 LEDs Per Metre



Code: K30-1280*

- Great for task lighting
- 9.6w 480 LEDs per metre
- 3000K - 672 lumens per metre
- 4000K - 720 lumens per metre
- Cuttable every 25mm
- Roll length: 1, 2, 3, 4, 5m
- CRI>90
- Dimensions: W8 x D4mm



*Select Colour Temp


WW

NW

For all control options please see pages 46-53

Dotless Sideview IP

IP66 LED Tape 10w 144 LEDs Per Metre



Code: K30-1260*

- Completely dotless flexible strip
- 10w 144 LEDs per metre
- 3000K - 240 lumens per metre
- 4000K - 260 lumens per metre
- Cuttable every 20.8mm
- Available in 1, 2, 3, 4 and 5m lengths
- CRI>90
- 2m power lead with micro connector
- Dimensions: W5 x D8mm
- Available to order as single tapes or kits
- Does not work with clip on connectors



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Alpha IP

IP65 LED Tape 2.4w 30 LEDs Per Metre



Code: K30-5715*

- Great for subtle lighting
- 2.4w 30 LEDs per metre
- 3000K - 175 lumens per metre
- 4000K - 195 lumens per metre
- Cuttable every 100mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW NW

For all control options please see pages 46-53

Callo IP

IP65 LED Tape 4.8w 60 LEDs Per Metre



Code: K30-5725*

- Great for ambient lighting
- 4.8w 60 LEDs per metre
- 2700K - 314 lumens per metre
- 3000K - 345 lumens per metre
- 4000K - 389 lumens per metre
- 6000K - 389 lumens per metre
- Cuttable every 50mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

XWW WW NW D

For all control options please see pages 46-53

Mila IP

IP65 LED Tape 4.8w 120 LEDs Per Metre



Code: K30-5734*

- Great for ambient continuous lighting
- 4.8w 120 LEDs per metre
- 3000K - 350 lumens per metre
- 4000K - 389 lumens per metre
- Cuttable every 25mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW NW

For all control options please see pages 46-53

Bon IP

IP65 LED Tape 9.6w 120 LEDs Per Metre



Code: **K30-5735***

■ **Great for task lighting**

- 9.6w 120 LEDs per metre
- 2700K - 658 lumens per metre
- 3000K - 690 lumens per metre
- 4000K - 780 lumens per metre
- 6000K - 785 lumens per metre
- Cuttable every 25mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes available
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp



For all control options please see pages 46-53

Beamer IP

IP65 LED Tape 4.8w 300 LEDs Per Metre
K30-5765*

IP65 LED Tape 9.6w 300 LEDs Per Metre
K30-5766*



■ **300 LEDs per metre**

- 4.8w
 - 3000K - 336 lumens per metre
 - 4000K - 672 lumens per metre
 - Cuttable every 10mm
 - Roll length: 5m
 - CRI>90-95
 - Bespoke sizes available
 - 2m power lead with micro connector
 - Dimensions: W10 x D2mm
 - Available to order as single tapes or kits
 - Does not work with clip on connectors
- 9.6w
 - 3000K - 360 lumens per metre
 - 4000K - 720 lumens per metre



*Select Colour Temp



For all control options please see pages 46-53

Side IP

IP65 LED Side Emitting Tape 4.8w 60 LEDs Per Metre



Code: K30-5775*

- Edge lit LED tape
- Great for use on curves, radiuses and 90° angles
- 4.8w 60 LEDs per metre
- 3000K - 288 lumens per metre
- 4000K - 315 lumens per metre
- Cuttable every 50mm
- Roll length: 5m
- CRI>90-95
- Bespoke sizes
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

Side + IP

IP65 LED Side Emitting Tape 9.6w 120 LEDs Per Metre



Code: K30-5785*

- Edge lit LED tape
- Great for use on curves, radiuses and 90° angles
- 9.6w 120 LEDs per metre
- 3000K - 576 lumens per metre
- 4000K - 625 lumens per metre
- Cuttable every 25mm
- Roll length: 5m
- CRI>80
- Bespoke sizes
- 2m power lead with micro connector
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits



*Select Colour Temp

WW

NW

For all control options please see pages 46-53

CCT

IP65 LED CCT 9.6w 120 LEDs Per Metre



Code: K30-5855

- 3000K-6000K colour temperature adjustable
- 9.6w 120 LEDs per metre
- Cuttable every 50mm
- Roll length: 5m
- CRI>90
- Bespoke sizes available
- 2m power lead
- Dimensions: W8 x D3mm
- Available to order as single tapes or kits
- Does not work with clip on connectors



Colour Temp Adjustable **WW** **NW** **D**

For all control options please see pages 46-53

Chameleon IP

IP65 RGB+CCT LED Tape 19.2w 60 LEDs Per Metre



Code: K30-5935

- Adjust between all colours and colour temperatures
- 19.2w 60 LEDs per metre
- Cuttable every 50mm
- Roll length: 5m
- Bespoke sizes available
- 2m power lead
- Dimensions: W15 x D4mm
- Available to order as single tapes or kits
- Does not work with clip on connectors



Colour Temp Adjustable **WW** **NW** **D**

RGB Colour Adjustable **RGB**

For all control options please see pages 46-53

RGB

IP65 RGB LED Tape 7.2w
30 LEDs Per Metre



Code: K30-5905

- Colour changing LED tape
- 7.2w 30 LEDs per metre
- Cuttable every 100mm
- Roll length: 5m
- Bespoke sizes available
- 2m power lead
- Dimensions: W10 x D3mm
- Available to order as single tapes or kits
- Does not work with clip on connectors



RGB Colour Adjustable

For all control options please see pages 46-53

RGB +

IP65 RGB LED Tape 14.4w
60 LEDs Per Metre



Code: K30-5915

- Colour changing LED tape
- 14.4w 60 LEDs per metre
- Cuttable every 50mm
- Roll length: 5m
- Bespoke sizes available
- 2m power lead
- Dimensions: W10 x D3mm
- Available to order as single tapes or kits
- Does not work with clip on connectors




RGB Colour Adjustable

For all control options please see pages 46-53

Dotless RGB Frontview IP

IP65 LED Tape 14.4w
108 LEDs Per Metre



Code: K30-1270RGB

- Colour changing LED tape
- 14.4w 108 LEDs per metre
- Cuttable every 27.8mm
- Available in 1, 2 & 3m lengths
- Bespoke sizes available
- 2m power lead
- Dimensions: W10 x D10mm
- Available to order as single tapes or kits
- Does not work with clip on connectors



RGB Colour Adjustable

For all control options please see pages 46-53

Connectors for non IP rated tape

2m COB Strip Power Connector
K30-6800MP



**LED 8mm Tape 2m Power Connector
C/W Micro Plug**
K30-5800MP



LED 8mm Tape Link Lead 50mm
K30-5810



50mm COB Strip to Strip Connector
K30-6810



LED 8mm Tape Link Lead 1m
K30-5812

LED 8mm Tape Link Lead 2m
K30-5813



LED 8mm Tape Link Lead 100mm
K30-5811




Butt COB Strip Connector
K30-6815



2m Extension Cable for LED Tape
R90-0131



LED 8mm Tape Butt Connector
K30-5815



L Corner COB Strip Connector
K30-6818



Connectors for IP rated tape and plug and play

IP65 Strip Power Connector

K30-6800IPMP



IP LED 8mm Tape 2m Power Connector C/W Micro Plug

K30-5800IPMP



IP LED 8mm Tape Link Lead 50mm

K30-5810IP



IP65 COB Strip Connector

K30-6810IP




IP LED 8mm Tape Link Lead 1m

K30-5812IP



IP LED 8mm Tape Link Lead 100mm

K30-5811IP



IP65 Butt COB Strip Connector

K30-6815IP



IP LED 8mm Tape Link Lead 2m

K30-5813IP



IP LED 8mm Tape Butt Connector

K30-5815IP




The image shows the interior of a motorhome, split vertically by a diagonal white line. The left side is dimly lit, showing a dark interior with a window on the left and a dark seat. The right side is brightly lit, showing a kitchen area with a stove, a blue kettle, and two white mugs on a counter. Above the counter are wooden cabinets and a shelf with various items. A blue blanket and a pair of binoculars are on a seat to the right. The overall atmosphere is modern and functional.

LEISURE LIGHTING

CONTROL AND POWER

Driver 8w



12v LED Driver 8w with 4-Port Micro Plug Connector
K10-1200

12v LED Driver 8w For Single Colour, CCT & RGB Controllers
K10-1200UNI

- Max 8w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L101 x W39.5 x H19.5mm



Driver 15w



12v LED Driver 15w with 6-Port Micro Plug Connector
K10-1220

12v LED Driver 15w For Single Colour, CCT & RGB Controllers
K10-1220UNI

- Max 15w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L101 x W39.5 x H19.5mm



Driver 30w



12v LED Driver 30w with 6-Port Micro Plug Connector
K10-1230

12v LED Driver 30w For Single Colour, CCT & RGB Controllers
K10-1230UNI

- Max 30w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L123 x W44.6 x H19.2mm



Driver 50w



12v LED Driver 50w with 6-Port Micro Plug Connector
K10-1250

12v LED Driver 50w For Single Colour, CCT & RGB Controllers
K10-1250UNI

- Max 50w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L159.9 x W57.8 x H18mm



Driver 100w



12v LED Driver 100w with 10-Port Micro Plug Connector
K10-1289-10A

12v LED Driver 100w For Single Colour, CCT & RGB Controllers
K10-1289UNI

- Max 100w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L180 x W65 x H32mm



Driver 132w



12v LED Driver 132w with 10-Port Micro Plug Connector
K10-1292-10A

12v LED Driver 132w For Single Colour, CCT & RGB Controllers
K10-1292UNI

- Max 132w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L182 x W66 x H32mm



12V Dimming Driver 10w



K10-1210DIM

- 6-Port Micro Plug Connector
- Min load 2w Max Load 10w
- Rated input voltage 200-240AC
- 1m mains cable
- Dimensions: L111.4 x W40 x H42.5mm



12V Dimming Driver 30w



K10-1230DIM

- 6-Port Micro Plug Connector
- Min load 6w Max Load 30w
- Rated input voltage 200-240AC
- 1m mains cable
- Dimensions: L158 x W45.8 x H18.3mm



12V Dimming Driver 50w



K10-1250DIM

- 6-Port Micro Plug Connector
- Min load 20w Max Load 50w
- Rated input voltage 200-240AC
- 1m mains cable
- Dimensions: L117 x W57.8 x H21.8mm



Driver 180w



12v LED Driver 180w with 10-Port Micro Plug Connector K10-1295-10A

12v LED Driver 180w For Single Colour, CCT, & RGB Controllers K10-1295UNI

- Max 180w
- Rated input voltage: 200-240AC
- 1m mains cable
- Dimensions: L195 x W67 x H31mm



ETL Driver



15w LED Driver K10-1215-US

- Dimensions: L139 x W48 x D12mm

36w LED Driver K10-1236-US

- Dimensions: L1192 x W52 x D20mm

60w LED Driver K10-1260-US

- Dimensions: L211 x W52 x D22mm
- 110v - 240V
- 50/60Hz
- ETL & FCC approved
- Suitable for the US market
- Can be used as a standard driver, but to make this smart please add control module K30-2042 (page 65)



Motion Detector IP65 360° Recessed PIR Single Channel



Code: U12-4440

- 360° PIR detector
- 6m diameter (3m radius) detection range at 2.5m mounting height
- Light ON time adjustable 10sec - 20mins
- Recess mounted
- Screw in terminal connection
- Adjustable light level control
- Not suitable for discharge lighting
- Conforms to Directives - 73/23/EEC, 89/336/EEC
- Dimensions: ø80mm x D18.8mm



Door IR IR Door Sensor Switch



Code: N28-0001

- **Door activated**
- Switches on 12v side so suitable for 12v lighting
- Detection range: 50-100mm
- Recess/surface mounted
- Max load power: 12v - 60w
- Cable length: 1100mm
- Dimensions: W15 x D18.8mm



Door IR



Double IR Door Sensor Switch
Code: N28-0001D

Triple IR Door Sensor Switch
Code: N28-0001T

- **Door activated**
- Switches on 12v side so suitable for 12v lighting
- Detection range: 50-100mm
- Recess/surface mounted
- Max load power: 12v - 60w
- Cable length: 1100mm
- Dimensions: W15 x D18.8mm



Mechanical Switch



Code: N28-0008

- **Mechanically activated**
- Switches on 12v side so suitable for 12v lighting
- Recess mounted
- Max wattage: 60w
- Cable length: 1800mm
- Dimensions: W23.4 x D29mm



SenSwitch PIR PIR Sensor Switch



1 Sensor
Code: N28-0003*

3 Sensors
Code: N28-0003T

2 Sensors
Code: N28-0003D

4 Sensors
Code: N28-0003Q

- **Motion activated**
- Automatically switches light off after 30 seconds when no motion is detected
- Switches on 12v side so suitable for 12v lighting
- Detection range: 3.5m
- Recess/surface mounted
- Max load power: 12v - 40w
- 1500mm sensor cable
- Dimensions: W15 x D19mm



*Select Finish

WH BK

Motion IR IR Motion Switch



Code: N28-0004

- **Motion activated**
- Switches on 12v side so suitable for 12v lighting
- Detection range: 50-100mm
- Recess/surface mounted
- Max load power: 12v - 60w
- Cable length: 1100mm
- Dimensions: W15 x D18.8mm



Touch Dimmer Touch Sensor Switch



Code: N28-0005

- **Touch activated**
- Blue LED light
- Max load power: 12v-60w
- Cable length: 1500mm
- Dimensions: W20 x L14mm
- Switches on 12v side so suitable for 12v lighting



Recessed Touch Dimmer Touch Sensor Switch



Code: N28-01675

- **Touch activated**
- Max load power: 12v-60w
- Cable length: 500mm
- Dimensions: ø22
- Switches on 12v side so suitable for 12v lighting



Invisi Touch Hidden Dimmer Touch Sensor



Code: N28-0006

- **Touch activated**
- Invisible switching solution - sensing distance up to 19mm when recessed into a cabinet or under a worktop
- Recessed
- Max load power: 12v-60w
- Cable length: 1500mm
- Dimensions: W42 x L12mm
- Switches on 12v side so suitable for 12v lighting



Mirror Touch Mirror Touch Sensor



Code: N28-0007

- Touch activated sensor for use with mirror lighting
- Invisible switching solution - install behind the mirror surface
- 3M mounting
- Max load power: 12v-60w
- Cable length: 1500mm
- Dimensions: L52 x W32 x D6mm
- Switches on 12v side so suitable for 12v lighting



Syno PIR PIR Sensor Switch with Remote Sensor



Code: N28-0181

- Motion activated
- Automatically switches light off when no motion is detected
- Automatically turns off after 10secs - 3 mins of no motion. Length of time is adjustable
- Switches on the mains side (240V)
- Detection range: 2-5m
- Input: 100-240V
- Recess mounted
- Max load power: 250w
- 1.5m sensor cable
- Dimensions: L85 x W35 x H18mm



Syno IR IR Sensor with Remote Sensor



Code: N28-0188

- Wave activated
- Switches on the mains side (240V)
- Detection range: 50mm
- Input: 100-240V
- Recess mounted
- Max load power: 250w
- 2m sensor cable
- Dimensions: L76 x W36 x H19mm



SET Single LED remote and Dimmer Controller



Code: K30-2011SC-BAT

- Controls single colour lights
- Single-zone remote
- Runs up to 216w at 12v
- On/off function
- Dimming and brightness levels



SET CCT LED remote and Dimmer Controller



Code: K30-2011CCT-BAT

- Controls CCT lights
- Single-zone remote
- Runs up to 144w at 12v
- On/off function
- Adjustable dimming and brightness levels



SET RGB LED remote and Dimmer Controller



Code: K30-2011RGB-BAT

- Controls RGB lights
- Single-zone remote
- Runs up to 216w at 12v
- On/off function
- Adjustable dimming and brightness levels



Motorised Pop-Up Socket With Bluetooth Speaker and Wireless Charging

Code: N28-0200

- Motorised pop-up socket
- 2 Power sockets
- 2 USB sockets
- Bluetooth speaker
- Wireless charging DC5V 1A
- Automatic stop safety feature
- Touch sensitive top
- IP54 Rated when down
- 100-240 AC
- Dimensions: H460 x W170 x D170mm



IP54 102mm 365mm

*Select Finish

WH

GR



Shaver Socket Matt Black



Code: N14-0293MB

- Traditional double gang dual voltage Shaver Sockets suitable for bathroom use
- Matt Black Finish
- 230V AC, 115/240V AC Dual voltage
- Sockets will only allow 1 plug to prevent overload
- 36 month guarantee
- Conforms to EN61558-1 & EN61558-2-5
- Dimensions: H147 x W89



IP20

Shaver Socket Dual Voltage Shaver Socket



Code: N28-0298

- Traditional white double gang dual voltage Shaver Sockets suitable for bathroom use
- Manufactured in high gloss thermoplastic
- 230V AC, 115/230V AC Dual voltage
- Accepts British and Continental plugs
- 20VA double wound transformer
- One shot thermal protection
- Auto switching shutters - to prevent two plugs being inserted at the same time
- 36 month guarantee
- Conforms to EN61558-1 & EN61558-2-5
- Dimensions: H146 x W85mm



IP20

Shaver Socket Polished Chrome with White Insert









Code: N14-0293WH














- Traditional double gang dual voltage Shaver Sockets suitable for bathroom use
- Polished Chrome Finish
- 230V AC, 115/230V AC Dual voltage
- Sockets will only allow 1 plug to prevent overload
- 36 month guarantee
- Conforms to EN61558-1 & EN61558-2-5
- Dimensions: H147 x W89



IP20

Use this simple chart to ensure you select the correct accessories to control your chosen single colour, CCT or RGB lighting products.

| | Sensor | Single Zone System | Multi Zone System | | |
|-------------------------------|--|---|---|--|--|
| | | | Driver | Receiver | Remote/Switch |
| SINGLE COLOUR PRODUCTS | Chosen sensor + Driver (To suit wattage of chosen lights) |  <p>Set Single LED Remote Dimmer & Controller for Single Colour K30-2011SC-BAT</p> <p>+ UNI Driver (To Wattage of chosen lights)</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2037ZU Single Colour Dimming Remote Receiver</p> <p>K30-2038SCZ Single Colour LED Dimming Wall Switch</p> | <p>K30-2034Z Single LED Dimming Remote</p> <p>AND/OR</p> |
| CCT PRODUCTS | n/a |  <p>Set CCT LED Remote Dimmer & Controller for Colour Temperature K30-2011CCT-BAT</p> <p>+ UNI Driver (To suit wattage of chosen lights)</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2041CCTZ 5-In-1 Dimming Remote Receiver</p> <p>K30-2038CCTZ CCT LED Dimming Zigbee Wall Switch</p> | <p>K30-2034CCTZ CCT LED Dimming Remote</p> <p>AND/OR</p> |
| RGB PRODUCTS | n/a |  <p>Set RGB LED Remote Dimmer & Controller for RGB K30-2011RGB-BAT</p> <p>+ UNI Driver (To suit wattage of chosen lights)</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2041RGBZ 5-In-1 Dimming Remote Receiver</p> <p>K30-2038RGBZ RGB LED Dimming Zigbee Wall Switch</p> | <p>K30-2035Z RGB LED Dimming Remote</p> <p>AND/OR</p> |

| Hub | Driver | Receiver | Remote/Switch |
|---|---|---|--|
| n/a |  <p>K10-1215-US 15w K10-1236-US 36w</p> |  <p>K30-2042* WiFi control module</p> | n/a |
|  <p>K30-2072Z Zigbee 3.0 Wireless & Bluetooth Hub</p> |  <p>K10-1220Z** 15w K10-1230Z** 30w K10-1250Z** 50w</p> | n/a | n/a |
|  <p>K30-2072Z Zigbee 3.0 Wireless & Bluetooth Hub</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2037ZU** Single Colour Dimming Remote Receiver</p> | <p>K30-2034Z Single LED Dimming Remote</p> <p>AND/OR</p> <p>K30-2038SCZ Single Colour LED Dimming Wall Switch</p>  |
|  <p>K30-2072Z Zigbee 3.0 Wireless & Bluetooth Hub</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2041CCTZ** 5-In-1 Dimming Remote Receiver</p> | <p>K30-2034CCTZ CCT LED Dimming Remote</p> <p>AND/OR</p> <p>K30-2038CCTZ CCT LED Dimming Zigbee Wall Switch</p>  |
|  <p>K30-2072Z Zigbee 3.0 Wireless & Bluetooth Hub</p> | <p>UNI Driver (To suit wattage of chosen lights)</p> |  <p>K30-2041RGBZ** 5-In-1 Dimming Remote Receiver</p> | <p>K30-2035Z RGB LED Dimming Remote</p> <p>AND/OR</p> <p>K30-2038RGBZ RGB LED Dimming Zigbee Wall Switch</p>  |

LEISURE LIGHTING
EXTERIOR



Tab

IP65 LED Light Stainless Steel 304 or 316




Code: K00-0085*

- 0.5w
- Up to 30 lumens
- Size: L77 x W37 x D12mm
- Surface mounted
- Weight: 30g
- Cable as required - standard is 30cm with 6.3mm spade connectors



*Select Colour Temp



Bolt

IP67 6mm Threaded Bolt

K00-0080*

IP67 11mm Threaded Bolt

K00-0081*

IP67 16mm Threaded Bolt

K00-0082*

- 1w
- 11mm is available in grade 30A stainless steel
- Cable as required - standard 1m with 6.3mm spade connectors



Aluminium



***STEP 1**
Select Colour Temp



***STEP 2**
Select Finish



Tab +

IP65 LED Light Stainless Steel 304 or 316



Code: K00-0086*

- 0.3w
- Up to 25 lumens
- Size: L76 x W34 x D15mm
- Surface mounted
- Weight: 30g
- Cable as required - standard is 30cm with 6.3mm spade connectors



*Select Colour Temp



Fortis

LED Camping/Awning Light 1200mm



Code: K00-0200

- Cigarette lighter socket and clip
- Can connect directly to the battery
- IP65 resistant when used with cover
- 4ft
- Carry case included



*Select Colour Temp





LEISURE LIGHTING
ELECTRICAL

Plug

Socket & USB Power Station



Code: N00-0170AL

- Aluminium effect top
- Recess mounted
- 1 x 13Amp sockets
- 2 x 2Amp USB charger ports
- Weight: 581g
- 1.5m power cable with BS plug 13Amp rated



102mm 90mm

Wireless Charger

Black Charger with 2 USB Ports



Code: N28-0401BL

- Fast charging upto 15w
- USB-A + USB-C
- Recessed mounted
- 300mm lead with spade connector
- Black finish



60mm



EHP

Elbow Heater Pad for 76mm (3") Pipe



Code: L00-0200

- Pipe heater pad
- Size: W76 x L330mm
- Cable length: 457mm
- Black



THP

Step Heater/Tank Pad with Thermostat



Code: L00-0201

- Tank heater pad
- Size: W178 x L635mm
- Cable length: 914mm
- Black





vevleisure™

VEW

Brunel House, Brunel Close, Harworth,
Doncaster, South Yorkshire, DN11 8QA

T +44 (0)1302 741941

F +44 (0)1302 741942

E sales@tlwglobal.com

TLWGLOBAL.COM

05.2024